

## NATtrol™ Parainfluenza Control

### PRODUCT DESCRIPTION:

**NATtrol™ Parainfluenza Control (NATPIV-ERC)\*** is formulated with purified, intact viral particles that have been chemically modified to render them non-infectious and refrigerator stable. Each control pack contains 6 x 0.5 mL vials of NATtrol™ Parainfluenza Control. This control is supplied in a purified protein matrix that mimics the composition of a true clinical specimen.

\*Pat.: <http://www.zeptometrix.com/patent-information/>

### INTENDED USE:

- NATtrol™ Parainfluenza Control is a full process control designed to evaluate the performance of nucleic acid tests for determination of the presence of Parainfluenza Types 1, 2, 3, and 4 RNA. NATPIV-ERC can also be used for quality control of clinical assays and training of laboratory personnel.
- NATPIV-ERC contains intact viral particles and should be run in a manner similar to that used for clinical specimens.

### ETIOLOGIC STATUS/BIOHAZARD TESTING:

- NATtrol™ inactivation was carried out on viral stocks used to formulate each control. The inactivation was verified by the absence of viral growth in validated tissue culture based infectivity assays.
- Purified protein matrix used in the manufacture of this product is treated with 0.09% sodium azide. It was manufactured from materials that have been tested and found non-reactive at the donor level for HIV-1/HIV-2 Antibody, HBsAg and HCV Antibody by FDA licensed donor screening test methods. All materials are also tested for HIV-1 and HCV by FDA approved Nucleic Acid Test (NAT) methods. Heat inactivated bovine based source materials used in the manufacture of this product meet applicable USDA requirements for abattoir sourced animals, traceability and country of origin. The materials were collected at USDA licensed establishments or legally imported from countries recognized by the USDA as negligible or controlled for risk for Bovine Spongiform Encephalopathy (BSE) and other exotic disease agents. Donor animals were inspected ante and post mortem at the abattoir as required by the USDA.

### PRECAUTIONS:

- Although NATPIV-ERC contains inactivated virus, they should be handled as if potentially infectious.
- Use Universal Precautions when handling these products.
- To avoid cross-contamination, use separate pipette tips for all reagents.

### RECOMMENDED STORAGE:

- NATtrol™ Parainfluenza Control should be stored at 2-8°C.

### INSTRUCTIONS FOR USE:

- Extract nucleic acids prior to use in assays that are not sample to result.




### EXPECTED RESULTS:

Catalog Number	Virus	Expected Result
NATPIV-ERC	Parainfluenza Type 1	Positive
	Parainfluenza Type 2	Positive
	Parainfluenza Type 3	Positive
	Parainfluenza Type 4B	Positive

### DO NOT USE IN HUMANS. FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES.

These products are intended for research, product development, quality assurance or manufacturing use. These products are NOT intended for use in the manufacture or processing of injectable products subject to licensure under section 351 of the Public Health Service Act or for any other product intended for administration to humans.

This product was manufactured in a facility which has a Quality Management System that is ISO 13485 certified.

REF	Catalog Number		Temperature Limitation
LOT	Lot Number		Expiration Date
RUO	For Research Use Only		Biological Risk

**ZeptoMetrix Corporation**  
878 Main Street  
Buffalo, NY 14202  
800-274-5487  
[www.zeptometrix.com](http://www.zeptometrix.com)